



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5180018
SITENAME Foreste di Camaldoli e Badia Prataglia

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT5180018	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Foreste di Camaldoli e Badia Prataglia

1.4 First Compilation date 1995-07	1.5 Update date 2015-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Toscana -D.G. Politiche Ambientali,Energia e Cambiamenti
Climatici-Settore Tutela e Valorizzazione Risorse Ambientali

Address: Via di Novoli, 26 - 50127 Firenze

Email: parchiareeprotette_biodiversita@regione.toscana.it

Date site proposed as SCI: 1995-06

Date site confirmed as SCI: No data

Date site designated as SAC: No data

National legal reference of SAC designation: No data

2. SITE LOCATION

[Back to top](#)

M	1321	emarginatus			w	1	5	i		G	D			
M	1324	Myotis myotis			p	6	10	i		G	C	B	C	B
B	A072	Pernis apivorus			p				R	DD	C	B	C	B
B	A274	Phoenicurus phoenicurus			r				C	DD	C	A	C	C
B	A314	Phylloscopus sibilatrix			p				P	DD	C	A	C	B
M	1304	Rhinolophus ferrumequinum			p				P	DD	C	B	C	B
M	1303	Rhinolophus hipposideros			p				P	DD	C	B	C	B
I	1087	Rosalia alpina			p				P	DD	C	A	B	B
A	5367	Salamandrina perspicillata			p				R	DD	D			
A	1167	Triturus carnifex			p				R	DD	D			
I	1014	Vertigo angustior			p				P	DD	C	B	B	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
I		Acanthocinus xanthoneurus						R				X		
I		Aglia tau						R						X
P		Aquilegia vulgaris						R						X
I		Arion intermedius						P						X
P		Atropa belladonna						R						X
P		Caltha palustris						R						X
P		Campanula latifolia						R						X

[illegible]

P		connectilis						R						X
M	2016	Pipistrellus kuhli						C	X					
I		Platycerus caraboides						P						X
M	1326	Plecotus auritus						P	X				X	X
M	1329	Plecotus austriacus						P	X				X	X
R	1256	Podarcis muralis						C	X					
I		Prionus coriarius						R						X
A	1210	Rana esculenta						C		X				
A	1206	Rana italica						P	X					
A	1213	Rana temporaria						P						X
I		Retinella olivetorum						P				X		
A		Salamandra salamandra						P						X
P		Sesleria pichiana						C				X		
I		Sinodendron cylindricum						R						X
A	1185	Speleomantes italicus						P				X	X	X
P		Staphylea pinnata						R						X
P		Tephrosia italica						C				X		
I		Trechus zangherii						P				X		
A		Triturus alpestris						P						X
A		Triturus alpestris apuanus						P				X		X
A		Triturus vulgaris						P					X	
P		Trollius europaeus						V						X
I		Vulda italica						P						X
I	1053	Zerynthia polyxena						R	X				X	X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public

- access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N16	20.0
N06	1.0
N23	3.0
N20	11.0
N09	5.0
N19	10.0
N17	50.0
Total Habitat Cover	100

Other Site Characteristics

Sono presenti numerosi rimboschimenti di alto valore storico e paesaggistico.

4.2 Quality and importance

Sito di rilevante importanza per la presenza di Mammiferi predatori come il Lupo, la Martora ed il Gatto selvatico. Fra gli Anfibi sono presenti la Rana italiana, endemismo italiano, ed il Triturus carnifex, endemico dell'Italia appenninica. Da segnalare i

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A04.03		b
M	I03.01		b
M	A03.03		b
M	K04.05		b
M	B01.02		i
L	J03.02.01		b
L	D01.02		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
M	E01.03		b
M	A03.02		b
M	B02.05		b
M	A04.02.01		b

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

--	--

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	80
Joint or Co-Ownership		0
Private		20
Unknown		0
sum		100

4.5 Documentation

Comunicazione Marina Clauser. Comunicazione Marco Apollonio. Grappoli R., Fanfani A., Pavan M., 1981, Aspetti della copertura forestale, della flora e della fauna nel paesaggio nat. dell'Italia Piante Vascolari: Herbarium Universitatis Florentinae, Firenze. Mammiferi: Comunicazione Paolo Agnelli. Uccelli: D.R.E.A.M. Italia srl. NEMO sas 1998. Carta del rispetto della natura della Provincia di Arezzo. Tellini Florenzano G., Arcamone E., Baccetti N., Meschini E., Sposimo P. (eds.) 1997. Atlante degli uccelli nidificanti e svernanti in Toscana (1982-1992) Quaderni del Museo di Storia Naturale di Livorno, Monografie, 1: 414 pp. Anfibi: Comunicazione Norcini. Comunicazione Stefano Vanni. Tedaldi G., Scaravelli D., Crudele G. 1996. Triturus alpestris apuanus in Provincia di Forli-Cesena e considerazioni sulla sua presenza nell'App. Tosco-Romagnolo (Amphibia Salamandridae) Quaderni Studi naturalistici della Romagna: 5, 49-54. Insetti: Bartolozzi L. 1986. Note corologiche e morfologiche sui Lucanidae in Toscana (Coleoptera) Atti del Museo Civico di Storia Naturale (Grosseto) 7/8: 11-26. Bordoni A. 1982. Fauna d'Italia. 19. Coleoptera Staphylinidae: Generalita' - Xantholininae Calderini Bologna. Carfi' S., Terzani F. 1978. Note su alcune specie di Odonati toscani (Il contributo alla conoscenza degli Odonati italiani) Redia 61: 191-203. Collezione Paolo Maria Casini, Firenze. Comunicazione Bernardo Cecchi. Museo di Storia Naturale dell'Università di Firenze, Sezione di Zoologia "La Specola". Molluschi: Manganelli G., Giusti F. 1988. Notulae Malacologicae XXXVII. New data on Arion intermedius Normand in Italian Apennines and major Tyrrhenian islands. (Studies on the Sardinian and Corsican malacofauna VII) Archiv fur Molluskenkunde, 119: 39-54.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	100.0	IT11	100.0	IT02	70.0
IT01	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	Monte Faggiolo - Giogo Seccheta	/	
IT13	ZPS Camaldoli, Scodella, Campigna, Badia Prataglia (ver. tos	*	
IT02	ZPS Camaldoli, Scodella, Campigna, Badia Prataglia (ver. tos	*	
IT11	ZPS Camaldoli, Scodella, Campigna, Badia Prataglia (ver. tos	*	
IT01	ZPS Camaldoli, Scodella, Campigna, Badia Prataglia (ver. tos	*	
IT13	Monte Faggiolo - Giogo Seccheta	/	
IT11	Monte Faggiolo - Giogo Seccheta	/	
IT02	Monte Faggiolo - Giogo Seccheta	/	

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	1) Ente Parco Foreste Casentinesi, via Roma 10, 52015 Pratovecchio (AR). Tel. 0575/504558/504497 - 2) C.F.S. Amm.ne Foreste Demaniali Casentinesi A.S.F.D. via Dante Alighieri 39, 52015 Pratovecchio (AR), tel. 0575/582504/58763.
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes	Name: Piano di assestamento forestale. Link: _____
<input type="checkbox"/> No, but in preparation	
<input checked="" type="checkbox"/> No	

6.3 Conservation measures (optional)

Piano di assestamento forestale.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

--

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

105 II NE - 105 II N 1:25000 Gauss-Boaga
--