



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5120005

SITENAME Monte Romecchio - Monte Rondinaio - Poggione

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | |
|-----------------|--|
| 1.1 Type | 1.2 Site code Back to top |
| B | IT5120005 |

1.3 Site name

Monte Romecchio - Monte Rondinaio - Poggione

| | |
|-----------------------------------|------------------------|
| 1.4 First Compilation date | 1.5 Update date |
| 1995-07 | 2015-12 |

1.6 Respondent:

Name/Organisation: Regione Toscana -D.G. Politiche Ambientali,Energia e Cambiamenti
Climatici-Settore Tutela e Valorizzazione Risorse Ambientali

Address: Via di Novoli, 26 - 50127 Firenze

Email: parchiareeprotette_biodiversita@regione.toscana.it

1.7 Site indication and designation / classification dates

| | |
|--|---------|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2016-05 |

National legal reference of SAC designation:

DM 24/05/2016 - G.U. 139 del 16-06-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

10.578055555556

Latitude

44.123888888889

2.2 Area [ha]:

715.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITE1

Toscana






2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|--|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 4060  | | | 107.25 | | | B | C | B | B |
| 6150  | | | 71.5 | | | B | C | B | B |
| 6170  | | | 35.75 | | | B | C | B | B |
| 6230  | | | 57.2 | | | C | C | B | B |
| 8110  | | | 71.5 | | | A | C | A | A |

| | | | | | | | | | | |
|------|--|--|-------|--|--|---|--|---|---|---|
| 8130 | | | 35.75 | | | A | | C | A | A |
| 8220 | | | 35.75 | | | A | | C | A | A |
| 8230 | | | 35.75 | | | A | | C | A | A |
| 9110 | | | 21.45 | | | D | | | | |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|-------------------------------------|---|----|------------------------|------|-----|------|------|---------|-----------------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A255 | Anthus campestris | | | r | | | | P | DD | C | B | C | C |
| B | A091 | Aquila chrysaetos | | | p | | | | P | DD | C | A | C | C |
| M | 1352 | Canis lupus | | | p | | | | P | DD | C | A | C | A |
| B | A096 | Falco tinnunculus | | | p | | | | P | DD | C | A | C | C |
| B | A246 | Lullula arborea | | | p | | | | P | DD | D | | | |
| B | A280 | Monticola saxatilis | | | r | | | | R | DD | C | B | C | B |
| B | A277 | Oenanthe oenanthe | | | r | | | | R | DD | C | B | C | B |
| B | A267 | Prunella collaris | | | r | | | | R | DD | C | A | C | C |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | Motivation | | | | | | |
|---------|------|---|---|----|------------------------|-----|------|------------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| P | 1480 | Aquilegia alpina | | | | | | V | X | | | | | |
| P | | Armeria marginata | | | | | | R | | | | X | | |
| P | | Artemisia umbelliformis | | | | | | V | | | | | | X |
| P | | Campanula latifolia | | | | | | P | | | | | | X |
| P | | Campanula spicata | | | | | | V | | | | | | X |
| P | | Carex fusca | | | | | | P | | | | | | X |
| P | | Carex macrostachys | | | | | | P | | | | X | | |
| P | | Carex praecox | | | | | | P | | | | | | X |
| P | | Carex rostrata | | | | | | P | | | | | | X |
| P | | Centaurea uniflora | | | | | | P | | | | | | X |
| P | | Cirsium bertolonii | | | | | | R | | | | X | | |
| P | | Convallaria majalis | | | | | | P | | | | | | X |
| P | | Dryopteris oreades | | | | | | V | | | | | | X |
| I | | Erebia epiphron | | | | | | P | | | | | | X |
| I | | Erebia montana | | | | | | P | | | | | | X |
| P | | Festuca riccerii | | | | | | P | | | | X | | |
| P | | Gentiana kochiana | | | | | | P | | | | | | X |
| P | | Gentiana purpurea | | | | | | R | | | | | | X |
| P | | Gentiana verna | | | | | | P | | | | | | X |
| P | | Globularia incanescens | | | | | | P | | | | X | | |
| P | | Hieracium brunellaeforme | | | | | | P | | | | | | X |
| P | | Laserpitium gallicum | | | | | | P | | | | | | X |
| P | | Leontodon anomalus | | | | | | P | | | | | | X |
| P | | LISTERA CORDATA (L.) R. BR. | | | | | | V | | | | | X | |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|---|--|---|--|---|---|---|
| P | | Luzula luzulina | | | | | | P | | | | | | X |
| P | 1413 | Lycopodium sp. | | | | | | R | | X | | | | |
| P | | Menyanthes trifoliata | | | | | | P | | | | | | X |
| P | | Murbeckiella zanonii | | | | | | P | | | | X | | |
| P | | Pedicularis cenisia | | | | | | V | | | | X | | |
| P | | Potentilla nitida | | | | | | P | | | | | | X |
| P | | Potentilla nivea | | | | | | P | | | | | | X |
| P | | Pulsatilla alpina | | | | | | R | | | | | | X |
| A | 1213 | Rana temporaria | | | | | | P | | X | | | | |
| P | | Rosa pimpinellifolia | | | | | | R | | | | | | X |
| P | | Rumex nebroides | | | | | | P | | | | | | X |
| P | | SAXIFRAGA ETRUSCA PIGN. | | | | | | R | | | | X | | |
| P | | Sempervivum arachnoideum | | | | | | P | | | | | | X |
| P | | Sesleria italica | | | | | | P | | | | | | X |
| P | | STACHYS PRADICA (ZANTED.) GREUTER ET PIGN. | | | | | | V | | | | | | X |
| I | | Trachyphloeus apuanus | | | | | | P | | | | | | X |
| P | | TRAUNSTEINERA GLOBOSA (L.) RCHB. | | | | | | R | | | | | X | |
| P | | Woodsia alpina | | | | | | V | | | | | | X |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------|---------|
| N11 | 15.0 |

| | |
|----------------------------|------------|
| N16 | 5.0 |
| N09 | 24.0 |
| N23 | 1.0 |
| N08 | 25.0 |
| N22 | 30.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Fascia sommitale su arenarie con morfologia assai aspra dei versanti.

4.2 Quality and importance

Popolazioni isolate di specie alpine e boreali, presenza di habitat al loro limite meridionale. Avifauna tipica delle praterie sommitali appenniniche. Da segnalare la presenza tra i Mammiferi del predatore Canis lupus.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | G02.02 | | B |
| M | E01.02 | | O |
| M | D01.02 | | B |
| M | J03.02 | | I |
| L | G01.06 | | B |
| M | E01.03 | | O |
| L | G01.04 | | B |
| L | A04.03 | | I |
| H | G01.02 | | B |
| M | A04 | | B |
| M | D01.02 | | B |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |
| | X | | |

4.4 Ownership (optional)

| Type | [%] |
|-----------------------|------------------|
| Public | National/Federal |
| | State/Province |
| | Local/Municipal |
| | Any Public |
| Joint or Co-Ownership | |
| Private | |
| Unknown | |
| sum | |

4.5 Documentation

Piante Vascolari: Del Prete C., Tomaselli M. 1988. Studi sulla flora e vegetazione della conca glaciale del Lago Torbido e del Lago Turchino al Monte Rondinaio (Appennino lucchese-modenese). IV. La flora Braun-Blanquetia 2: 33-60. Ferrarini E. 1977. Cenosi a "Picea abies (L.) Karst." relitte sull'Appennino. Ann.

Acc. Ital. Sci. For., 26:185-237. Ferrarini E. 1979. Note floristiche sull'Appennino settentrionale (dal Passo della Cisa al Passo delle Radici). Webbia 33(2): 235-267. Foggi B., Rossi G. 1996. A survey of the genus Festuca L. (Poaceae) in Italy. I. The species of the summit flora in the Tuscan-Emilian Apennines and Apuan Alps. Willdenowia 26: 183-215. Gerdol R., Tomaselli M. 1993. The vegetation of wetlands in the northern Apennines (Italy). Phytocoenologia 21(4): 421-469. Herbarium Horti Pisani (PI), Pisa. Herbarium Universitatis Florentinae, Firenze. Mazzolini G. 1990 Guida ai fiori dell'Abetone e dintorni. Giardini editori Pisa. Orsino F. 1971. Affinità floristiche fra le Alpi Apuane e l'Appennino ligure. Lav. Soc. Ital. Biogeogr. n. s. 1: 127-147. Ujhelyi J. 1959. Revision des espèces du genre Sesleria en Italie. Webbia 14(2): 597-614. Insetti: Collezione Paolo Maria Casini, Firenze. Collezione Piero Abbazzi, Firenze. Marini M., Trentini M. 1986. I Macrolepidotteri dell'Appennino Lucchese. Università degli Studi di Bologna Istituto e Museo di Zoologia. Bologna Arti Grafiche Tamari 136 pp.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT13 | 100.0 | | | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|--------------------------|------|-----------|
| IT13 | Orrido di Botri | / | |
| IT41 | Orrido di Botri | / | |
| IT13 | ZPS Pian degli Ontani | / | |
| IT42 | ZPS Campolino | / | |
| IT13 | Alta Valle del Sestaione | / | |
| IT41 | Alta Valle del Sestaione | / | |
| IT42 | ZPS Pian degli Ontani | / | |
| IT13 | ZPS Campolino | / | |

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|---|
| Organisation: | C.F.S Ufficio Amm.ne Gestione ex A.S.F.D. via del Carmine 8, 51100 Pistoia. Tel. 0573/23103. |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|------------------------------|---|
| <input type="checkbox"/> Yes | Name: Piano di assestamento forestale. Link: _____ |
|------------------------------|---|

☐ No, but in preparation

☒ No

6.3 Conservation measures (optional)

Piano di assestamento forestale.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

223SE 223NE 1:25.000 UTM