



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT51A0028  
SITENAME Duna di Feniglia

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> A	<b>1.2 Site code</b> IT51A0028	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Duna di Feniglia
------------------

<b>1.4 First Compilation date</b> 1995-07	<b>1.5 Update date</b> 2015-12
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Regione Toscana -D.G. Politiche Ambientali,Energia e Cambiamenti Climatici-Settore Tutela e Valorizzazione Risorse Ambientali
<b>Address:</b>	Via di Novoli, 26 - 50127 Firenze
<b>Email:</b>	parchiareeprotette_biodiversita@regione.toscana.it

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	1988-10
<b>National legal reference of SPA designation</b>	No data

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude**  
11.2457612228

**Latitude**  
42.4229314141

## 2.2 Area [ha]:

458.0

### 2.3 Marine area [%]

0.0

## 2.4 Sitelength [km]:

0.0

## 2.5 Administrative region code and name

NUTS level 2 code	Region Name
-------------------	-------------

ITE1	Toscana
------	---------



## 2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

### 3. ECOLOGICAL INFORMATION

[Back to top](#)

### 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
2110 			4.58			D			
2270 			389.3			B	C	C	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

[illegible]

						Min	Max				Pop.	Con.	Iso.	Glo.
B	A229	<a href="#">Alcedo atthis</a>			c				P	DD	C	A	C	C
B	A229	<a href="#">Alcedo atthis</a>			w				P	DD	C	A	C	C
B	A053	<a href="#">Anas platyrhynchos</a>			w				P	DD	C	A	C	C
B	A053	<a href="#">Anas platyrhynchos</a>			c				P	DD	C	A	C	C
B	A053	<a href="#">Anas platyrhynchos</a>			r				P	DD	C	A	C	C
B	A221	<a href="#">Asio otus</a>			c				P	DD	C	B	C	B
B	A221	<a href="#">Asio otus</a>			w				P	DD	C	B	C	B
B	A221	<a href="#">Asio otus</a>			r				P	DD	C	B	C	B
B	A149	<a href="#">Calidris alpina</a>			w				P	DD	C	B	C	C
B	A149	<a href="#">Calidris alpina</a>			c				P	DD	C	B	C	C
B	A224	<a href="#">Caprimulgus europaeus</a>			c				P	DD	C	B	C	B
B	A224	<a href="#">Caprimulgus europaeus</a>			r				P	DD	C	B	C	B
B	A138	<a href="#">Charadrius alexandrinus</a>			p				P	DD	D			
B	A080	<a href="#">Circetus gallicus</a>			r				P	DD	D			
B	A211	<a href="#">Clamator glandarius</a>			r				P	DD	B	A	B	B
B	A231	<a href="#">Coracias garrulus</a>			r				P	DD	D			
B	A379	<a href="#">Emberiza hortulana</a>			c				P	DD	C	B	C	C
B	A099	<a href="#">Falco subbuteo</a>			r				P	DD	C	B	C	B
B	A321	<a href="#">Ficedula albicollis</a>			c				P	DD	C	A	C	B
B	A075	<a href="#">Haliaeetus albicilla</a>			w				V	DD	D			
B	A075	<a href="#">Haliaeetus albicilla</a>			c				V	DD	D			
B	A338	<a href="#">Lanius collurio</a>			c				P	DD	C	A	C	B
B	A341	<a href="#">Lanius senator</a>			r				P	DD	C	B	C	B
B	A341	<a href="#">Lanius senator</a>			c				P	DD	C	B	C	B
B	A214	<a href="#">Otus scops</a>			r				C	DD	C	A	C	B
B	A391	<a href="#">Phalacrocorax carbo sinensis</a>			w				C	DD	C	A	C	C
B	A391	<a href="#">Phalacrocorax carbo sinensis</a>			c				C	DD	C	A	C	C

B	A151	<a href="#">Philomachus pugnax</a>			w				P	DD	C	B	C	C
B	A151	<a href="#">Philomachus pugnax</a>			c				P	DD	C	B	C	C
B	A034	<a href="#">Platalea leucorodia</a>			w				P	DD	C	A	C	B
B	A034	<a href="#">Platalea leucorodia</a>			c				P	DD	C	A	C	B
B	A132	<a href="#">Recurvirostra avosetta</a>			c				P	DD	C	A	C	B
B	A132	<a href="#">Recurvirostra avosetta</a>			w				P	DD	C	A	C	B
B	A193	<a href="#">Sterna hirundo</a>			r				P	DD	D			
B	A302	<a href="#">Sylvia undata</a>			w				P	DD	C	A	C	B
B	A302	<a href="#">Sylvia undata</a>			c				P	DD	C	A	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B		<a href="#">Sylvia cantillans moltonii</a>						R			X		X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N23	2.0
N08	2.0
N17	90.0
N05	6.0
Total Habitat Cover	100

### Other Site Characteristics

Tombolo meridionale che separa il mare dalla Laguna di Levante, uniformemente occupato da un impianto di *Pinus pinea*, di interesse storico, paesaggistico e protettivo.

### 4.2 Quality and importance

Di fondamentale importanza per il mantenimento dell'ecosistema lagunare nella pineta sono presenti alcune rare specie ornitiche nidificanti (*Falco subbuteo*, *Clamator glandarius*, *Otus scops*). Il maggior interesse ornitologico si riscontra nella stretta fascia di salicornieto che contorna il lato lagunare.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	D03.01.02		O
M	J01.01		O
H	J02.09.02		I
H	K04.05		I
M	F03.01.01		O
H	F01.01		I

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
	X		

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

### 4.4 Ownership (optional)

Type	[%]
Public	National/Federal
	State/Province
	Local/Municipal
	Any Public
Joint or Co-Ownership	
Private	
Unknown	
sum	

### 4.5 Documentation

- Arcamone E., Barbagli F. 1996. Cronaca ornitologica toscana: 1990-1991 Quaderni del Museo di Storia

Naturale di Livorno, 14: 79-109. - Arcamone E., Tellini G. 1992. Cronaca ornitologica toscana: 1988-1989 Quaderni del Museo di Storia Naturale di Livorno, 12: 37-69. - Comunicazione personale Centro Ornitologico Toscano. - Comunicazione personale Paolo Sposimo. - Tellini G., Arcamone E., Baccetti N., Meschini E., Sposimo P. (eds), 1997. Atlante degli uccelli nidificanti e svernanti in Toscana (1982-92). Quad. Mus. Stor. Nat. Livorno, Monografia n.1:414 pp.

## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT02	100.0	IT13	100.0	IT11	100.0
IT07	10.0				

### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT02	Laguna di Orbetello	/	
IT11	Monte Argentario, I.tto di Porto Ercole e Argentarola	/	
IT11	Laguna di Orbetello	/	
IT07	Laguna di Orbetello	/	
IT41	Laguna di Orbetello	/	
IT13	Laguna di Orbetello	/	
IT13	Monte Argentario, I.tto di Porto Ercole e Argentarola	/	

designated at international level:

Type	Site name	Type	Cover [%]
------	-----------	------	-----------

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

Organisation:	C.F.S. Ufficio Amministrazione Gestione Ex A.S.F.D. via Bicocchi 2, 58022 Follonica (GR), tel. 0566/40019 Ufficio di zona C.F.S.; 58015 Orbetello (GR), tel. 0564/834086.
Address:	
Email:	

### 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐

Yes

☒

No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

108 II SE - 108 II S 1:25000 Gauss-Boaga