



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5190009
SITENAME Lago di Chiusi

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT5190009	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Lago di Chiusi

1.4 First Compilation date 1995-07	1.5 Update date 2015-12
----------------------------------------------	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Toscana -D.G. Politiche Ambientali,Energia e Cambiamenti Climatici-Settore Tutela e Valorizzazione Risorse Ambientali
Address:	Via di Novoli, 26 - 50127 Firenze
Email:	parchiareeprotette_biodiversita@regione.toscana.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-03
National legal reference of SPA designation	No data

Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data

National legal reference of SAC designation:

No data

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

11.9630555555556

Latitude

43.0536111111111

2.2 Area [ha]:

802.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITE1

Toscana





2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130 			1.0		P	B	C	B	B
3150 			16.04			A	C	B	B
6420 			8.02			C	C	C	C
92A0 			5.0		P	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)

- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

[illegible]

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

[illegible]

[illegible]

I		Theodoxus fluviatilis						R						X
P		Trapa natans						V					X	
A		Triturus vulgaris						P						X
P		Utricularia vulgaris						P						X
P		Vallisneria spiralis						P						X
I		Viviparus contectus						C						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N10	2.0
N12	10.0
N06	78.0
N07	10.0
Total Habitat Cover	100

Other Site Characteristics

Lago di modesta profondità residuo, insieme al Lago di Montepulciano, di un ampio bacino idrico presente dal Pliocene, in comunicazione con il bacino del Tevere fino in epoca storica (1200 circa), in seguito deviato verso il bacino dell'Arno. Entrambi i laghi sembrano soggetti ad un rapido interrimento.

4.2 Quality and importance

Notevole interesse floristico e vegetazionale per la presenza di un complesso di idrofite e eleofite e di associazioni ormai rare a causa delle bonifiche delle zone palustri. L'interesse del sito è comunque dovuto soprattutto alla sua importanza per la conservazione dell'avifauna acquatica. In particolare è da segnalare la garzaia (colonia di ardeidi), una delle principali della Toscana, che ospita *Nycticorax nycticorax*, *Ardeola rallioides*, *Egretta garzetta*, *Ardea purpurea*. Tra le specie ornamentiche nidificanti di interesse sono da segnalare *Ixobrychus minutus*, *Milvus migrans*, *Panurus biarmicus* e *Achrocephalus melanopogon*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts				Positive Impacts			
	Threats				Activities,	Pollution	

Rank	and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A02		b
M	J03		i
L	B01.02		b
H	H01		b
M	A04.03		b
H	I01		b
H	F03		b
H	A01		b
M	H02		i
M	D02.01		b
M	J02		b
H	G01		b
M	D01		i
L	F06		i

Rank	management [code]	(optional) [code]	inside/outside [i o b]
	X		

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	80
Joint or Co-Ownership		0
Private		20
Unknown		0
sum		100

4.5 Documentation

Archivio RENATO - Repertorio Naturalistico Toscano - Regione Toscana Comunicazione Leonardo Favilli. Collezione F. Giusti, Dip. di Biologia Evolutiva, Università di Siena. Comunicazione Stefano Vanni. Piante Vascolari: Arrigoni P.V., Ricceri C. - La vegetazione dei laghi di Chiusi e di Montepulciano (Siena)., 1982, Atti Soc. Tosc. Sci. Nat., Mem., Serie B, 88: 285-299. Casini F., Dipartimento di Biologia Ambientale Università degli Studi di Siena, ricerca di dottorato in corso Uccelli: Arcamone E. - Lo svernamento di Anseriformi e Folaga in Toscana. 1984-1988., 1989, Quad. Mus. Stor. Nat. Livorno 10, Suppl. 1. Baccetti N., Meschini E. - Confronto tra distribuzioni storiche e attuali di alcune specie in base ai dati del progetto atlante della Toscana., 1986, Riv. ital. Ornitol., 56: 67-78. Brichetti P. - Basettino Panurus biarmicus in: Meschini E. e Frugis S. (eds) (1983) Atlante degli uccelli nidificanti in Italia., 1993, Suppl. Ric. Biol. Selvaggina, 20: 232. Centro ornitologico toscano. Nardi R., Tinarelli R. - La garzaia del Lago di Chiusi., 1991, Suppl. Ric. Biol. Selvaggina, 17: 381-384. Romé - Osservazioni ornitologiche interessanti effettuate nel 1981 in Toscana., 1982, Avifauna (Genova), 5: 177-181. Scoccianti C., Scoccianti G., 1995, I rapaci diurni delle province di Siena e Grosseto. Studio per la conservazione. WWF Delegazione Toscana serie scientifica, 2: 136 pp. Insetti: Bordini A., 1995, I Coleotteri del Padule di Fucecchio., Centro Ric., Docum. Promoz. Padule Fucecchio. Anfibi: Piazzini S., Favilli L. & Manganelli G., 2005. Atlante degli Anfibi della Provincia di Siena (1999-2004). Sistema delle riserve Naturali della Provincia di Siena, Quaderni Naturalistici, 1: 112 pp. Mammiferi: Manganelli G., Pezzo F., Piazzini S., 2001. Micromys minutus (Mammalia, Rodentia, Muridae) nel comprensorio dei laghi di Chiusi e Montepulciano (Toscana - Umbria). Atti della Società Toscana di Scienze Naturali, Memorie Serie B, Vol. CVIII.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	10.0	IT11	90.0		

6. SITE MANAGEMENT

6.2 Management Plan(s):

[Back to top](#)

An actual management plan does exist:

- ☐ Yes
- ☐ No, but in preparation
- ☒ No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

119 IV SO 1:25000 Gauss-Boaga