



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5190010
SITENAME Lucciolabella

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type	1.2 Site code Back to top
C	IT5190010

1.3 Site name

Lucciolabella

1.4 First Compilation date	1.5 Update date
1995-07	2015-12

1.6 Respondent:

Name/Organisation:	Regione Toscana -D.G. Politiche Ambientali,Energia e Cambiamenti Climatici-Settore Tutela e Valorizzazione Risorse Ambientali
Address:	Via di Novoli, 26 - 50127 Firenze
Email:	parchiareeprotette_biodiversita@regione.toscana.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-03
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2016-05

National legal reference of SAC designation:

DM 24/05/2016 - G.U. 139 del 16-06-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

11.7525

Latitude

43.0255555555556

2.2 Area [ha]:

1417.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITE1

Toscana






2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3250 			0.09		M	B	C	B	C
5130 			126.23		M	B	B	B	B
6210 			126.23		M	B	B	B	B
6220 			126.23		M	B	B	B	B
91AA 			89.95		M	C	C	C	C

A	1167	carnifex			p				P	DD	C	B	C	C
---	------	--------------------------	--	--	---	--	--	--	---	----	---	---	---	---

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Artemisia cretacea						C				X		X
F	5097	Barbus tyberinus						P		X				
R	1284	Coluber viridiflavus						C	X					
P		Fraxinus oxycarpa						P						X
P		Hordeum marinum						P						X
A	5358	Hyla intermedia						P	X					
M	1344	Hystrix cristata						C	X					
R		Lacerta bilineata						P					X	
R	5179	Lacerta bilineata [= Lacerta viridis]						C	X				X	
P		Parapholis strigosa						P						X
M	2016	Pipistrellus kuhlii						P	X					
M	1309	Pipistrellus pipistrellus						P	X					
P		Plantago maritima						C						X
M	1329	Plecotus austriacus						P	X					

R	1256	Podarcis muralis						C	X					
R	1250	Podarcis siculus						C	X					
P		Polygala flavescens						C				X		
A	1210	Rana esculenta						C		X				
P	1849	Ruscus aculeatus						P		X				
P		Santolina etrusca						P				X		
P		Scabiosa gramuntia [=S. uniseta, S. triandra]						C				X		
B		Sylvia cantillans moltonii						R				X		X
A		Triturus vulgaris						P						X
B	A213	Tyto alba						P						X
R	1281	Zamenis longissimus [Elaphe longissima]						P	X					
I	1053	Zerynthia polixena						P	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N08	7.0
N22	1.0
N09	6.0
N06	1.0
N16	2.0

N21	3.0
N23	2.0
N15	15.0
N12	50.0
N14	10.0
N20	3.0
Total Habitat Cover	100

Other Site Characteristics

Area collinare a substrato prevalentemente argilloso. Paesaggio tipico delle "crete senesi" di grande valore scenico, caratterizzato dalla morfologia e dalla presenza di forme erosive (calanchi e biancane), oggi minacciato dai cambiamenti delle pratiche agricole.

4.2 Quality and importance

La vegetazione dell'area è caratterizzata da cenosi pioniere che comprendono specie di interesse, quali *Artemisia caerulescens* ssp. *cretacea*, endemismo tosco-romagnolo. L'avifauna, poco conosciuta, vede la presenza di *Circus pygargus* nidificante.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	D01		i
L	H01		i
M	I01		i
L	A01		i
M	J02		i
H	A04.03		i
L	E06.02		i
M	A07		i
M	B02		i
M	F03		b
H	A02		i
H	K02		i
L	A03		i
L	I03.01		b
M	G01		b
H	J03		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
	X		

4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	0

Joint or Co-Ownership	0
Private	100
Unknown	0
sum	100

4.5 Documentation

Archivio RENATO - Repertorio Naturalistico Toscano - Regione Toscana Comunicazione Ilaria Bonini. Comunicazione Leonardo Favilli Comunicazione Stefano Vanni. Piante Vascolari: Antoni A.M. 1965 Il paesaggio vegetale delle colline argillose dell'alta e media Val d'Orcia (Siena) Webbia 20: 427-454. Chiarucci A., De Dominicis V., Ristori J., Calzolari C. - Biancana badland vegetation in relation to morphology and soil in Orcia Valley Italy., 1995, Phytocaenologia, 25: 69-87. Scoppola A. Angiolini C. 1997 Vegetation of stream-bed garigues in the Antiapennine range of Tuscany and Latium (central Italy) especially the new association Santolino etruscae-Saturejetum montanae Phytocoenologia 27(1): 77-102. Pesci: Bianco P.G. 1997 Sist. ris. nat. della prov. SI. Analisi dell'ittiofauna e dei Decapodi. Proposte di intervento per la gestione, la valoriz. e la razionaliz. dei prelievi finaliz. al recupero delle componenti autoctone. Rel. tec-scient. Amm. Prov. SI. Inedito. Piazzino S., Favilli L. & Manganelli G., 2005. Atlante degli Anfibi della Provincia di Siena (1999-2004). Sistema delle riserve Naturali della Provincia di Siena, Quaderni Naturalistici, 1: 112 pp.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	100.0	IT11	100.0	IT05	100.0

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT11	Crete dell'Orcia e del Formone	/	
IT13	Crete dell'Orcia e del Formone	/	

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Provincia di Siena.
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input checked="" type="checkbox"/>	No, but in preparation
<input type="checkbox"/>	No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐

Yes

☒

No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

119 IV NE - 119 IV S 1:25000 Gauss-Boaga